

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: GORDON, et al.

Application No.: 10/630,351

Date Filed: July 30, 2003



Examiner: Menon, Krishnan S.

Group: 1723

For: MOBILE DESALINATION PLANTS AND SYSTEMS, AND METHODS FOR PRODUCING DESALINATED WATER

CERTIFICATE UNDER 37 CFR 1.8(A)

I hereby certify that this correspondence is being deposited with the U.S.

Postal Service as First Class mail in an envelope addressed to the

Commissioner for Patents, P. O. Box 1450, Alexandria, VA

22313-1450, on Apr 125, 2005

Stanley A. Kim, Ph.D., Esq., Reg. No. 42,730

Stanley A. Kim, Ph.D., Esq.

TRANSMITTAL LETTER

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Please find enclosed for filing the following:

X Power of Attorney and Correspondence Address Indication Form; and

X 1 postcard.


Although no fee is believed due, please charge any underpayment to Deposit Account

No. 50-3110. This letter is submitted in duplicate.


Respectfully submitted,

RUDEN, MCCLOSKEY, SMITH,
SCHUSTER & RUSSELL, P.A.

Dated: Apr 125, 2005


Stanley A. Kim, Ph.D., Esq., Reg. No. 42,730
222 Lakeview Avenue, Suite 800
West Palm Beach, FL 33401-6112
Tel: (561) 838-4500

Docket No: 8021-0030



**POWER OF ATTORNEY
and
CORRESPONDENCE ADDRESS
INDICATION FORM**

| | |
|------------------------|-------------------------------------|
| Application Number | 10/630,351 |
| Filing Date | 7/30/03 |
| First Named Inventor | GORDON |
| Title | MOBILE DESALINATION PLANTS AND SYS. |
| Art Unit | 1723 |
| Examiner Name | MENON, KRISHNAN S. |
| Attorney Docket Number | 8021-0030 |

I hereby revoke all previous powers of attorney given in the above-identified application.

I hereby appoint:

☒ Practitioners associated with the Customer Number:

43,463

OR

☐ Practitioner(s) named below:

| Name | Registration Number |
|------|---------------------|
| | |
| | |
| | |
| | |

as my/our attorney(s) or agent(s) to prosecute the application identified above, and to transact all business in the United States Patent and Trademark Office connected therewith.

Please recognize or change the correspondence address for the above-identified application to:

☒ The address associated with the above-mentioned Customer Number:

OR

☐ The address associated with Customer Number:

OR

☐ Firm or
Individual Name

Address

City

State

Zip

Country

Telephone

Fax

I am the:

☐ Applicant/Inventor.

☒ Assignee of record of the entire interest. See 37 CFR 3.71.
Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96)

SIGNATURE of Applicant or Assignee of Record

| | | | |
|-------------------|--|-----------|--------------|
| Signature | <i>Andrew W. Gordon</i> | Date | 4/18/05 |
| Name | Andrew W. Gordon | Telephone | 561 995-0967 |
| Title and Company | Chief Executive Officer, Water Standard Company, LLC | | |

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.

☒ *Total of 1 forms are submitted.

This collection of information is required by 37 CFR 1.31, 1.32 and 1.33. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 3 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.